



BLUE[®]
CLEAN

6 SERIES



2
DPA
DUAL PRO
APPLIANCE



UNIQUE DETAILS

- 1 BUILT-IN NOZZLE HOLDER
- 2 UNLOADER
- 3 BY-PASS/TSS SWITCH
- 4 HANDLE

6 Series Optional Kits WALL MOUNTED & KART UNIT

WALL MOUNTED UNIT

Wall mounted hose reel with 50ft HP hose.

KART KIT

Foldable painted steel frame with durable 10in rubber wheels for perfect balancing.



DUAL PRO APPLIANCE SYSTEM



The AR630 Pro features an innovative DPA system that allows users to select their preferred operating mode using a convenient three-position switch: **power off**, **Position I**, and **Position II**.

Position I activates the Total Stop System (TSS), which automatically shuts off the motor when the trigger gun is released—helping reduce wear on the pump.

Switching to **Position II** engages bypass mode for continuous run and flow, ideal for demanding applications and extended cleaning sessions.

6 Series 630/632/635

HIGH PRESSURE WASHERS



General Features

- Triplex pump with ceramic pistons and connecting rod system
- Automatic by-pass valve with pump head pressure discharge
- Single-phase induction motor with thermal protection
- By-pass option
- Self-priming function
- Unloader
- Detergent suction kit - optional
- 20 AMP GFCI
- Gun with swivel
- Stainless steel wand with QC
- 50' uber flex hose
- 35' power cord
- New, wide bottom foamer



MOD	UPC	psi MAX		gpm MAX		Amp Hz V lbs			
		psi max	psi rated	gpm max	gpm rated	Amp	Hz	V	lbs
AR630	1 92216 15397 4	1600	1350	2.3	2.2	19	60	120	67
AR630HW	1 92216 15624 1	1600	1350	2.3	2.2	19	60	120	67
AR632	1 92216 15794 1	1450	1100	2.9	2.7	19	60	120	67
AR635	1 92216 15784 2	1250	1000	3.4	3.2	19	60	120	67
AR635HW	1 92216 15785 9	1250	1000	3.4	3.2	19	60	120	67

Standard Accessories

